


DART AEROSPACE LTD	Work Order:	23770
Description: Pin Assembly	Part Number:	D3332-041
Dwg: D3332 Rev. Al PAGE 1, 3,4	Qty:	20
A 05.07.06		Page 1 of 1

Step	Location	Procedure	Ву	Date	Qty
1	DC	Issue Traveler	K	05.07.06	20
2	MC	Machine D3332-3 as per Folio FA493 and Dwg D3332  Material: AISI 1018-1025 Ø0.500" Round Bar  (M1018-R0.500)  Identify for D3332-3  Batch:	Bo	45.07.15	70
3	QC2	Inspect parts as they come off the CNC machine Identify as D3332-3	130	65.07.15	ટ
4	QC8	Second check	En	05/07/15	20
5 a · ·	MFA ,	Fabricate D3332-5 as per Dwg D3332  Material: AISI 1018-1025 Ø0.313" Round Bar (M1018-R0.313)			7
6	MFA \	Assemble and Weld using D3332-041T1 as per Dwg D3332  Pick:  Oty Part Number Description 1 D3332-1 Handle 323051 B23775  A/R N/A Steel Rod P19376		05.07.20	
7	QC5	Identify as D3332-041 Inspect work to Step 6	2	05-07-20	1
8	FP .	Powder Coat Fire Red (Ref. 4.3.5.10) as per QSI 005.4.3  Gover D3332-3 and cover thread only for D3332-5 prior to painting	M	05 08 11	20
9	QC3	Inspect Powder Coat		US-0B.18	20
10	ST	Identify and Stock	PC	05/08/16	70
11	AC	Cost / part: / 6, 27	مرد	05-08-17	26
. 12	DC	Close W/O / 7, 9 9 Inspect Level 21		05/08/17	20

ſ	Rev	Date	Change		Revised By	Approved
	Α	05.01.13	New issue	,	KJ/JLM (	



72F 05.01.18

## **Dart Aerospace Ltd**

W/O:	•	WORK ORDER CHANGE	ES				
DATE	STEP	PROCEDURE CHANGE By		Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector
	Y						1

NCR:	WORK ORDER NON-CONFORMANCE (NCR)							-
		Docarintian of NC		Corrective Action Section B		Vanisia ati an		Approval
DATE	STEP	Description of NC Section A	Initial Design Mgr	Action Description  Design Mgr	Sign & Date	Verification Section C	Approval Design Mgr	Approval QC Inspector
	1.	<i>t.</i> •						
-		·						
							٠	

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	Date: <u>05/08/8</u> 7
NOTE: Date & initial all entries		₹************************************		QA: N/C Closed:	Date:

DART AEROSPACE LTD	Work Order:	23770
Description: Pin	Part Number:	D3332-3
Inspection Dwg: D3332 Rev: A1		Page 1 of 1

# FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
3.625	+/-0.010	3,626		24		
<del>-0.050</del> x 45°	+/-0.010	0,083	1	,'A		
0.125 x 30°	+/-0.010	9,127	1			
Ø0.484	+0.000/-0.010	,484				
		·				·
	,		/			
·						
·						
						`
						,
				F		

Measured by:	Audited by:	Er	Prototype Approval:	N/A
Date: 05/07/15	Date:	05/07/15	Date:	N/A


Rev	Date	Change		Revised by	Approved
Α	05.01.13	New Issue	P/O D3332-041	KJ/JLM (	




(89,



DESIGN	7	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECK	ED .	APPROVED	DRAWING NO.	REV. A	
*	T	W	D3332	SHEET 1 OF 4	
DATE			TITLE	SCALE	
<u> </u>	04.1	2.14	PIN ASSEMBLY	1:2	
Α	04	1.12.14	NEW ISSUE		
Al	ak-	P 05.07.04	0.080 WAS 0.050; ADD TOLE LANCE	+0,000	





D3332-043 PIN ASSEMBLY

#### **NOTES:**

1) POSITION PARTS USING D3332-041T1
2) WELD PER DART QSI 004
3) MASK THREADS PRIOR PAINTING
4) FINISH: POWDER COAT FIRE RED (REF. 4.3.5.10) PER QSI 005 4.3

(COVER THREAD ONLY FOR D3332-5/-9 PRIOR PAINTING)
5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
6) ALL DIMENSIONS ARE IN INCHES
7) BREAK ALL SHARP EDGES 0.005 TO 0.10

SHOP COPY

TT

RETURN TO **ENGINEERING** 

UNIONITROLLED COPY CMENT &


HO


COPYRIGHT © 2004 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



	- 1	1		
	DESIGN	DRAWN BY	DART AEROSPA HAWKESBURY, ONTAR	
	CHECKED	APPROVED	DRAWING NO.	REV. A SHEET 3 OF 4
	DATE 04	.12.14	PIN ASSEMBLY	SCALE 1:1
_	04	.14.14	PIN ASSEMBLY	1:





SHOP COPY

RETURN TO **ENGINEERING** 

#### NOTES:


1) MATERIAL: 1018-1025 ROUND BAR STEEL PER MIL-S-7097 (REF. DART SPEC. M1018R0.500)
2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
3) ALL DIMENSIONS ARE IN INCHES
4) BREAK ALL SHARP EDGES 0.005 TO 0.010


4) BREAK ALL SHARP EDGES 0.005 TO 0.010

#### COPYRIGHT © 2004 BY DART AEROSPACE LTD.



DESIGN 3	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED	DRAWING NO. D3332	REV. A SHEET 4 OF 4	
DATE 04.	12.14	PIN ASSEMBLY	SCALE 1:1	





1) MATERIAL: 1018-1025 ROUND BAR STEEL PER MIL-\$7097 COPY (REF. DART SPEC. M1018-R0.313)

RETURN TO **NOTES:** 

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
3) BREAK ALL SHARP EDGES 0.005 TO 0.010
4) ALL DIMENSIONS ARE IN INCLUSED COPY

4) ALL DIMENSIONS ARE IN INCHES

TT MENDMENT

THOUT NOTICE

WIT GORDER

### Job Costing Réport

Dart	Aerospace	Ltd.
Hawke	shurv	

Jul 06, 2005 11:42 am

WOLK Older NO	•	0023110		
Project Name	:	D3332-041	Department Cod	e:

Burden Flags : NNNNNNN Project For : WK530 WO Status : Open Work Order Type : Main

Invoice State : Not Invoiced Main WO Number

Invoice Date House Part Number: D3332-041 Invoice Number : Description : Pin Assembly

Invoice Amount : 0.00 Manufactured : Yes

Amount Req'd : Order Entry No : Amount Done : ٠O

OE Value 0.00

Start Date : 07-06-05 Est Finish Date : 07-30-05

Est Mark Up : Act Finish Date Actual Mark Up : 0.000% Drawings Reqd

Ok for Approval

Approval Rec'd \$0 Posted to Finished Goods

		Estimated	Actual	Var. %	Posted	To Post
Material Cost	:	0.00	0.00	0.00	0.00	.0.00
Engineering Hours	:	. 0.00	0.00	0.00		
Engineering Cost	::	0.00	0.00	0.00	0.00	0.00
Production Hours	:	0.00	0.00	0.00		-
Production Cost	:	0.00	0.00	0.00	0.00	0.00
Packaging Hours	:	0.00	0.00	0.00		
Packaging Cost	:	0.00	0.00	0.00	0.00	0.00
OverHead Hours	:	0.00	0.00	0.00		
OverHead Cost	:	0.00	0.00	0.00	0.00	. 0.00
CNC Hours	:	0.00	0.00	0.00	•	
CNC	:	0.00	0.00	0.00	0.00	0.00
Misc. Hours	:	0.00	0.00	0.00		
Misc.	:	0.00	0.00	0.00	0.00	0.00
		========	========	======	*	
Burden	:	0.00	0.00	0.00	1	
		=======	========	======	۸.	
Total Cost 🧦	:	0.00	0.00	0.00		
Mark up	:	0.000	0.000		A AND	,
Selling Cost	:	0.00	0.400	•	Service Service	

		Estimated	Actual
Labour Hrs/Amount Done	:	0.00	0.00
Profits/(Loss)	:	0.00	0.00